YOUR CONSTRUCTION TECHNOLOGY PROVIDER



Field Reference Guides

EARTHWORKS EXCAVATOR VERSION 2.9

SITECH SOUTHWEST





System: Earthworks Excavator

Version: 2.9

| Training Guides | <u> Page #</u> |
|---|----------------|
| Starting Earthworks | 3 |
| Dashboard | 4 |
| Select Project, Design and Measured Data | 5 |
| Select Project, Design and Measured Data: VCL | 6 |
| Create New Project | 7 |
| Work Screen | 8 |
| Work Screen interface | 9 |
| Work Screen Setup | 10 |
| Text Ribbon Setup | 12 |
| Focus Point | 13 |
| Import Data with USB | 14 |
| Export Data with USB | 15 |
| Cutting Edge Wear / Overcut Protection | 16 |
| Verify System Accuracy | 17 |
| Vertical Offset / Memories | 18 |
| Horizontal Offset / Memories | 20 |
| Working Surface | 21 |
| Cut and Fill Mapping | 22 |
| Record Point | 23 |
| Delete / Edit Point | 24 |
| Navigate to Point | 25 |
| 3D Line Guidance | 26 |
| Lane Guidance | 27 |
| Surface Manager | 28 |
| Layers Manager | 29 |
| UTS Setup | 30 |
| Change GNSS Radio Network | 32 |
| Level Surface | 33 |
| Sloping Surface | 34 |





SITECH TECHNOLOGY DEALER

System: Earthworks Excavator

Version: 2.9

| <u>Tr</u> | raining Checklist | <u>Page #</u> | |
|-----------|---|---------------|--|
| | Starting Earthworks | 3 | |
| | Dashboard | 4 | |
| | Select Project, Design and Measured Data | 5 | |
| | Select Project, Design and Measured Data: VCL | 6 | |
| | Create New Project | 7 | |
| | Work Screen | 8 | |
| | Work Screen interface | 9 | |
| | Work Screen Setup | 10 | |
| | Text Ribbon Setup | 12 | |
| | Focus Point | 13 | |
| | Import Data with USB | 14 | |
| | Export Data with USB | 15 | |
| | Cutting Edge Wear / Overcut Protection | 16 | |
| | Verify System Accuracy | 17 | |
| | Vertical Offset / Memories | 18 | |
| | Horizontal Offset / Memories 20 | | |
| | | | |
| | Record Point | 23 | |
| | Delete / Edit Point | 24 | |
| | Navigate to Point | 25 | |
| | 3D Line Guidance | 26 | |
| | Lane Guidance | 27 | |
| | Surface Manager | 28 | |
| | Layers Manager | 29 | |
| | UTS Setup | 30 | |
| | Change Radio Network | 32 | |
| | Level Surface | 33 | |
| | Sloping Surface | 34 | |

Customer Copy

Training Acknowledgement:

SITECH TECHNOLOGY DEALER **TRAINING CHECKLIST**

System: Earthworks Excavator

Version: 2.9

3

4

5

6

7

8

9

10

12

13

14

15

16

17

18

20

22

23

24

25

26

27


Training Checklist Page # Starting Earthworks Dashboard Select Project, Design and Measured Data Select Project, Design and Measured Data: VCL **Create New Project** Work Screen Work Screen interface Work Screen Setup Text Ribbon Setup Focus Point Import Data with USB Export Data with USB Cutting Edge Wear / Overcut Protection Verify System Accuracy Vertical Offset / Memories Horizontal Offset / Memories Cut and Fill Mapping Record Point Delete / Edit Point Navigate to Point 3D Line Guidance Lane Guidance Surface Manager

28 29 Layers Manager 30 UTS Setup Change Radio Network 32 Level Surface 33 Sloping Surface 34

SITECH Copy

Training Acknowledgement:

Starting Earthworks



1. Touch EarthWorks



- 2. Select Operator
- 3. Enter Password if required and touch Login





Dashboard

Machine Setup

Guidance


- Position Source
- Correction Source


Attachments

Attachment Name

Job Setup

- Select or Create project
- Select or Create Design
- Select or Create new Measured Data Folder
- Select Mode: Depth and Slope, Design, Infield





System status


Licenses

- EC520 License
- TD520 License
- GNSS Receiver Licenses





Select Project, Design and Measured Data




1. Touch Job Setup



- 2. Touch project
- 3. Touch Mode
- 4. Measured Data (Create New)




J. Add measured Dat




6. Type New Measured Data Name7. Touch Save, on next screen Touch Done

S•Trimble

Authorized Dealer









9. Touch Apply

Select Project, Design and Measured Data: VCL



1. Touch Job Setup




- 2. Touch Project- Select Project
- 3. Touch Mode- Select Design 4. Touch Measured Data



5. Add Measured Data



- 6. Type New Measured Data Name
- 7. Touch Save on next screen touch Done



- 8. Touch Design- Select Design that Contains a VCL
- 9. Touch Surface- Select Surface
- 10. Touch Apply




- 11. Select Master Alignment
- 12. Touch Apply
- 13. Touch Start



SITECH



Create New Project




1. Touch Job Setup






2. Touch Project












Start

8

8. Touch Start



Work Screen









Work Screen Interface






2. 2 Finger Swipe to Change Views



 3. Drag to Pan
 4. Pinch-Spread to Zoom in-out




- 5. Touch to select Pan or Rotate
- 6. Touch to re-center





Work Screen Setup




1. Touch and Hold



2. Change View




3. Touch View Selection



4. Touch 3 Dimensional 5. Touch Cross Section

6. Touch Plan



7. 2 finger swipe to 1 view screen



8. Touch and Hold 9. Change View






Work Screen Setup: Continued



10. Touch 3D View




14. Touch Profile



11. 2 Finger swipe to 2 view screen



15. Touch and hold 16. Change View



12. Touch and hold 13. Change View




17. Touch Cross Section





Text Ribbon Setup




1. Touch and Hold Text Ribbon

| 3 | - | ible" Earthworks 👩 🌲 🛓 | | |
|-------------|-------------|---------------------------|--|--|
| TEXT RIBBON | | | | |
| Sh | ow Tex | a Ribbon 12 | | |
| H | ¥ | Cut/Fill Left | | |
| # | ¥ | Cut/Fill Center | | |
| H | ¥ | Cut/Fill Right | | |
| | ٩ | Northing | | |
| 8 | ¢ | Easting | | |
| H | ٠ | Elevation | | |
| H | ٢ | Design Elevation | | |
| H | * | GNSS Horizontal Precision | | |
| # | 썋 | GNSS Vertical Precision | | |
| H | * | GNSS Satellite Count | | |
| | × Cancel | | | |

2. Touch Edit



5. Touch-hold-drag to change position 6. Touch Apply



- 3. Touch each Text Item
 - Cut/Fill Center
 - Offline
 - Station
 - Northing
 - Easting
 - Elevation
 - Design Elevation
 - Vertical GNSS Precision
 - Satellite Count
- 4. Touch Apply





SITECH TECHNOLOGY DEALER

Focus Point




Touch Bucket Focus to Change Focus point






Import Data With USB






2. Touch USB 3. Touch Select



4. Touch "V"



- 5. Touch Earthworks Data
- 6. Touch Project
- 7. Touch Import




8. Touch OK






Export Data With USB



Insert USB 1. Touch Transfer Type




2. Touch Export Files

EXPORT FILES

10 60


✓ Earthworks De








4. Touch USB 5. Touch Select



6. Touch "V"





. .

11. Touch Cancel **Remove USB**










Cutting Edge Wear / Overcut Protection



1. Touch and Hold Bucket Focus



2. Touch Edit



3. Enter Measured Length






5. Touch Save

S•Trimble

Authorized Dealer



 6. Touch Advanced Options
 7. Touch Overcut protection to Turn On/Off






Verify System Accuracy


Verify the System accuracy by checking into a Bench Point



Position the Bucket Tip over the Bench point



1. Swipe Ribbon to View Northing, Easting, Elevation



2. Touch Bucket Focus Select Point on Bucket to Measure




3. Verify Northing, Easting, Elevation

See Supervisor if Northing, Easting, and Elevation do not match Project Tolerances






Vertical Offset / Memories



1. Touch and Hold Vertical Offset



2. Enter Offset
 3. Touch Apply to Use Immediately




4. Touch and Hold Vertical Offset



5. Touch Memories




6. Touch Create to Add New Offset







Vertical Offset / Memories Cont:






12. Touch Apply







Horizontal Offset / Memories



1. Touch and Hold Horizontal Offset or touch to cycle through memories




6. Touch Memories




- 2. Touch Line to select
- 3. Enter Offset Value
- 4. Touch Apply to use immediately





5. Touch and Hold Horizontal Offset





- 8. Name Offset to be saved
- 9. Enter Offset Value
- 10. Touch Save





Horizontal Offset / Memories Cont:






12. Touch Apply





Cut and Fill Mapping





Touch and Hold screen to change to plan view
 Press Mapping Icon to view

Cut Fill Mapping will only be visible in Plan, Cross section, and Profile views





Record Point




1. Press and Hold Record Point




2.Touch to Edit Name 3.Select or create Measured Data



 Select Measured Data Folder for Point location
 Select done



- 6. Type Code
- 7. Touch Save to record point




8. Touch Point Icon Records Point ** Note- After recording a point, it will save automatically in the Measured Data folder Created during project setup. **







Delete / Edit Point



1. Touch and Hold over point



2. Touch point information



- 3. Edit point information if needed
- 4. Touch Delete

. . .




nble[®] Ear

5. Confirm Delete (Once Deleted it can no longer viewed)





Navigate to Point



1. Touch and Hold on Point



3. Touch Navigate to point



2. Touch Point info




4. Touch Stop Icon once complete







3D Line Guidance



1. Touch 3D Line Select











Lane Guidance




1. Touch and Hold Lane Guidance



2. Select Master Alignment 3. Touch Next



- 4. Select Line A
- 5. Select Line B



6. Touch Apply



7. Touch Lane Guidance icon to stop

Note: Slope Between Alignment A and B will be projected slope






Surface Manager ** Will only work in VCL format Designs**



1. Touch Worksettings



2. Select Surface Manager








Layers Manager ** Will only work in VCL format Designs**



1. Select Worksettings



2. Select Layers Manager




- 5. Option to select individual Lines
- 6. Touch Apply





UTS Setup







2. Touch Positioning Source 3. Touch UTS (Right or Left)



- 1. Touch Machine Setup
- 4. Touch to Edit / Add UTS



5.Select Channel / ID / Target ID **6.Touch Next**




7. Tap to Start






UTS Setup Cont:



8. Tap to use for Guidance












Change Radio Network (GNSS)





2. Touch GNSS correction source




- 3. Touch Radio Network
- 4. Touch Apply





Level Surface



1. Touch Work Settings




2. Touch Job setup




5. Touch Bench Heading



6. Select Blade Tip Focus Point7. Place Blade Tip at Elevation and Touch Bench



- 3. Touch Mode and select Depth and Slope
- 4. Touch Apply










Sloping Surface



1. Touch Work Settings




2. Touch Job setup




5. Touch Bench Heading



6. Select Blade Tip Focus Point
7. Place Blade Tip at Elevation and Touch Bench



- 3. Touch Mode and select Depth and Slope
- 4. Touch Apply




8. Touch and Hold Target Mainfall

Note: This will apply a slope parallel to the direction of heading







Sloping Surface Cont:




- 9. Enter Mainfall Slope
- 10. Touch Apply



12. Enter Cross Slope 13. Touch Apply




11. Press and Hold Cross Slope Note: This will apply a slope perpendicular to the direction of the heading











Mesa, AZ Reno/Sparks, NV Henderson, NV Yuma, AZ

602.437.0410 www.sitechsw.com

